



Great Plains

STEALTH • PRO™

THE HUNT STARTS HERE





Great Plains

INTRODUCING THE ALL-NEW

STEALTH • PRO 6 • STEALTH • PRO 8 • STEALTH • PRO 10

THE **STEALTH PRO** EQUIPMENT SERIES BY GREAT PLAINS WAS CREATED TO SUPPORT THE UNIQUE NEEDS OF **HUNTERS, CONSERVATIONISTS, AND WILDLIFE ENTHUSIASTS**. KEEPING TODAY'S OUTDOORSMAN IN MIND, THE STEALTH PRO LINE USES THE SAME QUALITY AND MANUFACTURING STANDARDS AS OUR PRODUCTION FARM EQUIPMENT, WHICH HAS BEEN PRODUCED **SINCE 1976** - WHILE ALSO KEEPING SIMPLICITY AND FUNCTIONALITY AT THE FOREFRONT.

FOR MANY YEARS, **GREAT PLAINS DRILLS** HAVE BEEN THE TRUSTED CHOICE FOR PHEASANTS FOREVER CHAPTERS AND THE NRCS FOR FOOD, HABITAT, AND CONSERVATION PLOTS, AS WELL AS A FAVORITE OF MANY HUNTERS, **WILDLIFE OUTFITTERS**, AND CUSTOM FOOD PLOT BUSINESSES. GREAT PLAINS HAS ALSO PARTNERED WITH SOME OF TODAY'S TOP OUTDOOR BRANDS LIKE **MIDWEST WHITETAIL, SMALL TOWN HUNTING, AND BACKWOODS PREMIUM WILDLIFE PRODUCTS**.





3-PT


6' & 8' 3-PT MOUNTED NO-TILL



PULL-TYPE

6' & 10' END WHEEL NO-TILL

FEATURES & BENEFITS




TIME-TESTED OPENER

This trusted opener is lighter, shorter, and features an integrated leading coulter. The 5/16" fluted coulter penetrates tough no-till soil conditions while the double-disc opener blades cleanly slice through residue. A full-length seed tube and trailing flap control the seed to the very bottom of the seed trench where the seed stays in place.



CONVENIENT TRANSPORT

At the end of the job, three-point models (Cat. II) are simply lifted to quickly move the unit on down the road. Pull-type models are equipped with DOT-ready tires, and can be locked up with the drive disengaged for easy transport.



4-SPEED GEARBOX

Changing seed rates is quick and effortless with these permanently lubricated, sealed gearboxes. For quick reference, rate charts for many common food plot seeds are provided on a decal under the seed box lid.



CENTER-MOUNTED DRIVE WHEEL *(3-pt models only)*

Eight settings allow the height of the ground drive wheel to be repositioned as needed. Center drive wheels drive the metering systems and assist in controlling coulter depth.



END WHEEL DRIVE *(Pull-type models only)*

Large end wheels provide excellent ground drive to the seed meters, even in rough, undulating terrain. Lockout hubs save drive components from wear during road transport.



EASY DEPTH CHANGES

Make seed depth changes quickly and effortlessly with the 18-position T-handle on each opener.




LARGE MAIN SEED BOX

The fully welded main seed box holds plenty of seed onboard to achieve maximum field time between fills. An optional small seeds box can be added to handle smaller seeds separately from the main seed box.



CLOSING WHEELS

The Stealth Pro™ Series drills feature 2"x13" smooth closing wheels. This design presses soil directly over the seed, aggressively firming the soil surrounding the seed at the precise depth selected.



FLUTED FEED CUPS

The exclusive 1¼" fluted feed cups with powdered metal flutes deliver outstanding accuracy with a large variety of seed shapes and sizes. The seed cup design maintains precise metering for small, large, or blended seed varieties.



STEEL WALKBOARDS

Sturdy, non-skid steel walkboards provide full access to the seed box, making fills quick and convenient.




SMALL SEEDS METER (optional)

This smaller version of the fluted feed cup precisely meters small seeds. Having the small seeds meter separate from the main seed box makes it possible to drill different seeds at different rates at the same time.

ADDITIONAL STANDARD FEATURES

- Digital acremeter
- Hydraulic depth stop (pull-type only)
- Calibration crank
- Grease bank for easy maintenance
- Direct link press wheel for depth control
- Watertight manual holder
- Heavy-duty coil springs
- Spring steel coulter mounting bars
- Pintle or clevis hitch (pull-type only)
- LED safety lighting



3-POINT	Row Spacing	Working Width	Transport Width	Engine H.P. Required	Empty Weight	No. of Rows	Operating Depth	Main Box (Bu. Capacity)	Optional Small Seeds Box (Bu. Capacity)
STEALTH PRO 6	7.5'	5' 8"	6' 1"	60+	2,280	9	0' - 3.5'	12	1.4
STEALTH PRO 8	7.5'	8' 1"	8' 3"	80+	3,380	13	0' - 3.5'	14.3	1.9

PULL-TYPE	Row Spacing	Working Width	Transport Width	Engine H.P. Required	Empty Weight	No. of Rows	Operating Depth	Main Box (Bu. Capacity)	Optional Small Seeds Box (Bu. Capacity)
STEALTH PRO 6	7.5'	5' 8"	8' 10"	40+	2,700	9	0' - 3.5'	12	1.4
STEALTH PRO 10	7.5'	10'	12' 7"	75+	4,300	15	0" - 3.5"	23.7	2.4

FEATURES & BENEFITS**TIME-TESTED OPENER**

This trusted Great Plains opener features double-disc opener blades to cleanly cut through residue, leaving a residue-free zone for the trailing press wheels. A full-length seed tube controls the seed to the very bottom of the trench where the seed stays in place.

**COULTER OPTION**

Models are also available with a leading coulters. These 5/16" fluted coulters slice through residue and loosen compacted soils ahead of the double-disc opener blades.

**CLOSING WHEELS**

The Stealth Pro™ Series drills feature 2"x13" smooth closing wheels. This design presses soil directly over the seed, aggressively firming the soil surrounding the seed at the precise depth selected.

**HITCH COMPATIBILITY OPTIONS**

The 3-point pins pair with Cat. I or Cat. II hitches and are quick-hitch compatible.

**STURDY, WATER-RESISTANT LID**


Welded inside each water-resistant seed box lid is a stiffener and a seed saver. The stiffener adds stability and durability to the lid, while seed savers prevent seed loss during fills by bridging the gap between the box and the lid.

**DRIVE WHEEL ADJUSTMENT**

The drive wheel height is easily adjusted with the set screw handles.

**SEED RATE ADJUSTMENT**


Use the seed rate adjustment handle located behind the box to easily change seed rates.

**FLUTED FEED CUPS**

The exclusive 1/4" fluted feed cups with powdered metal flutes deliver outstanding accuracy with a large variety of seed shapes and sizes.

**LOW PROFILE BOX**

Low profile, all-welded box design prevents branches and vines from catching on the sides. Non-skid diamond grip steel walkboards provide full access to the seed box, making fills quick and convenient.

**SEED BOX AGITATOR**

Agitators inside the box keep seed moving and flowing freely.

**EASY DEPTH CHANGES**

Make seed depth changes quickly and effortlessly with the 18-position T-handle on each opener.

3-PT



WITHOUT COULTERS	Working Width	Transport Width	No. of Cups	Opener Spacing	Seed Box (Bu. Capacity)	Engine H.P. Required	Empty Weight
STEALTH PRO 3	37.5'	41.5'	5	7.5'	6	20-30	860
STEALTH PRO 4	45'	48.25'	6	7.5'	8	30-40	990
STEALTH PRO 5	60'	62.5'	8	7.5'	10	40-50	1,150



WITH COULTERS	Working Width	Transport Width	No. of Cups	Opener Spacing	Seed Box (Bu. Capacity)	Engine H.P. Required	Empty Weight
STEALTH PRO 3	37.5'	41.5'	5	7.5'	6	45-60	1,290
STEALTH PRO 4	45'	48.25'	6	7.5'	8	60-70	1,510
STEALTH PRO 5	60'	62.5'	8	7.5'	10	70-80	1,790

See GreatPlainsAg.com for complete specifications. Specifications are subject to change without prior notification. Images may not depict current or standard production models.



STEALTH PRO™



GPSTEALTHPRO.COM