# Rotary Cutter

## RCR1884




***312-880P***
***Parts Manual***

Land Pride

Read the Operator's Manual entirely. When you see this symbol, the subsequent instructions and warnings are serious - follow without exception. Your life and the lives of others depend on it!

© Copyright 2023 Printed 08/23/2023

Cover photo may show optional equipment not supplied with standard unit.

# Table Of Contents


**Section 1: Introduction** ..... **2**
*Using This Manual* ..... *2*
*Manual Replacement Information* ..... *2*
*Manual Revisions* ..... *2*
*Touch-up Paint* ..... *2*
*Hardware Legend* ..... *3*
*Replacement Hardware* ..... *3*
*Serial Numbers* ..... *3*
*Part Number Service Coding* ..... *3*
**Section 2: Deck** ..... **4**
*Deck and Rear Deflector* ..... *4*
*Driveline Hanger (327-143S)* ..... *6*
*Gauge Wheel Dual* ..... *8*
*Gauge Wheel Single* ..... *10*
*Hitch Components S/N 945302-* ..... *12*
*Hitch Components S/N 945303+* ..... *14*
*Manual Tube* ..... *16*
**Section 3: Blade Drive** ..... **18**
*Blade Drive* ..... *18*
*Driveline w/ 2 Plate Slip Clutch (826-510C)* *20*
*Driveline w/ 4 Plate Slip Clutch (826-510C)* *22*
*Gearbox (826-376C) Comer* ..... *24*
**Section 4: Guards** ..... **26**
*Guard Chain Rear* ..... *26*
*Guard Chain Single Front* ..... *28*
*Guard Rubber Front* ..... *30*
**Section 5: Options & Accessories** ..... **32**
*Skid Shoe Kit* ..... *32*
**Section 6: Decals** ..... **34**
*Decal Placement* ..... *34*
*Land Pride Touch-up Paints* ..... *36*

*This Page Intentionally Left Blank*

# General Information

## Using This Manual

This manual is divided into sections. The first section contains General Information. The remaining sections divide the machine into segments (i.e. Frames, Drives, Hydraulics, etc.) which illustrate and list all parts. A Parts Number Index is located at the back of the book.

The Land Pride parts in this manual are specially designed for this machine and should be replaced with Land Pride parts only.

The information in this manual is current at time of printing. Some parts may change to assure top performance.

Right-hand and left-hand as used in this manual are determined by facing the direction the machine will travel while in use.

Below is an example of two facing pages from a parts manual. Familiarize yourself with the type of information contained on these pages.

## Manual Replacement Information

Replacement manuals are available. Refer to our website at www.landpride.com or e-mail us at lit@landpride.com for additional information. Our website continues to provide the most up-to-date manuals available.

## Touch-up Paint

Repaint parts where paint is worn or scratched to prevent rust. Aerosol cans, quart cans, gallon cans and touch-up bottles with brush applicator are available through your local dealer.

Land Pride color descriptions and part numbers are listed on the "Land Pride Touch-up Paints" page in the "Decals" section of this book.




© Copyright 2023. All rights Reserved

Land Pride provides this publication "as is" without warranty of any kind, either expressed or implied. While every precaution has been taken in the preparation of this manual, Land Pride assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein. Land Pride reserves the right to revise and improve its products as it sees fit. This publication describes the state of this product at the time of its publication, and may not reflect the product in the future. The illustrations in this manual are not intended for safe and proper assembly or disassembly of equipment. The illustrations are intended for ordering parts only.

Land Pride is a registered trademark.

All other brands and product names are trademarks or registered trademarks of their respective holders.

*Printed in the United States of America.*

## Hardware Legend

| | |
|---|---|
| AR | As Required |
| BLADE | Blade Bolt |
| C | Cap Screw |
| CP | Cotter Pin |
| CPHSSS | Cup Point Hex Socket Set Screw |
| CPSHSS | Cup Point Square Head Set Screw |
| CPSQHSS | Cup Point Square Head Set Screw |
| CRFCHMS3 | Cross Recess Flat Countersunk Head Machine Screw |
| CRPHMS | Cross Recess Pan Head Machine Screw |
| CRPHTFS | Cross Recess Pan Head Thread Forming |
| CRRHMS | Cross Recess Round Head Machine Screw |
| CRTHMS | Cross Recess Truss Head Machine Screw |
| CSNB | Countersunk Square Neck Bolt |
| FHMS | Flat Head Machine Screw |
| FTC | Full Thread Cap Screw |
| H | Hex Nut |
| HCLN | Hex Center Lock Nut |
| HFLCS | Hex Flange Lock Cap Screw |
| HFS | Hex Flange Screw |
| HFSLN | Hex Flange Serrated Lock Nut |
| HFSS | Hex Flange Serrated Screw |
| HHCS | Hex Head Cap Screw or Metric Bolt |
| HSBHCS | Hex Socket Button Head Cap Screw |
| HSFCHCS | Hex Socket Flat Countersunk Head Cap Screw |
| HSHCS | Hex Socket Head Cap Screw |
| HSSS | Hex Socket Head Screw |
| HTLN | Hex Top Lock Nut |
| HWHCS | Hex Washer Head Cap Screw |
| HWHMS | Hex Washer Head Machine Screw |
| HXBHCS | Hex Socket Button Head Cap Screw |
| J | Hex Jam Nut |
| JIC | 37 Degree Tapered Thread |
| L | Helical Spring Lock Washer |
| LUG | Lug Bolt |
| NFC | National Fine Cap Screw |
| NPSM | National Pipe Straight Mechanical |
| NPTF | National Pipe Taper Fuel |
| P | Wide Plain Washer |
| PHMS | Pan Head Machine Screw |
| PLOW | Plow Bolt |
| RHMS | Round Head Machine Screw |
| RHSNB | Round Head Square Neck Bolt |
| SCREW LEVELING | Leveling Screw |
| SCREW THUMB | Thumb Screw |
| SCREW WELD | Weld Screw |
| SFCHMS | Slotted Flat Countersunk Head Machine Screw |
| SFHMS | Slotted Fillister Head Machine Screw |
| SP | Special |
| SP SCREW | Special Screw |
| SQHSS | Square Head Set Screw |
| SRHMS | Slotted Round Head Machine Screw |
| SSS | Socket Set Screw |
| STCS | Self Tapping Cap Screw |
| STHMS | Slotted Truss Head Machine Screw |
| WHEEL | Wheel Studs and Hub Long Bolts |
| WING | Wing Bolt |

## Replacement Hardware

The **Hardware Legend** above lists hardware abbreviations used in the parts list. All bolts and nuts are Grade 5 unless otherwise noted. The use of improper grades of hardware can result in personal injury, damage to equipment, or loss of property.

## Colored Replacement Parts

Land Pride offers replacement parts in factory standard colors and also on select models in Green, Orange, Red and Blue. Because of the variety of colors available, special attention must be given to the part number to prevent ordering the wrong replacement part.

A suffix number corresponding to one of the colors below must be added at the end of Land Pride's part number when ordering a replacement part with that color.

**81 . . . . . Green** **83 . . . . .Red**
**82 . . . . . Orange** **84 . . . . .Blue**

For example, if you are ordering a replacement part with part number 555-555C and the part you need is red, then add the suffix 83 to the end of the number to make the part number read 555-555C83. Parts ordered without a suffix number will be supplied in factory standard colors.

## Black Replacement Parts

Some parts are factory standard black and some must be special ordered black. If your part is special ordered black, a second part number with the additional suffix number 85 on the end will be available. In this situation you must order that part with the suffix number for it to be black. Parts that are factory standard black will not have the suffix number.

## Part Number Service Coding

Within the parts list some part numbers are coded for revisions and interchangeability. See notations in revision column.

## Serial Numbers

Always use the serial and model number when ordering parts. Refer to the Operator's Manual for serial number plate location.

| | |
|---|---|
| (S/N 20001+) | Includes serial numbers 20001 and above (to the latest number) |
| (S/N 10001 to 20000) | Includes serial numbers between and including 10001 and 20000 |
| (S/N 10000-) | Includes serial numbers 10000 and below (to the earliest number) |

# *Deck and Rear Deflector*

Applies to Models: RCR1884



# *Deck and Rear Deflector*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG24761 | Drawing Image Number | |
| 1 | 326-019H | 1884 DECK WELDMENT | |
| 1 | 326-019H81 | 1884 DECK WELDMENT GREEN | |
| 1 | 326-019H82 | 1884 DECK WELDMENT ORANGE | |
| 1 | 326-019H83 | 1884 DECK WELDMENT RED | |
| 2 | 326-327D | REAR BAND DEFLECTOR | |
| 3 | 802-183C | RHSNB 1/2-13X1 GR5 | |
| 4 | 803-037C | NUT HEX WHIZ 1/2-13 PLT GR5 | |

# *Driveline Hanger (327-143S)*

Applies to Models: RCR1884



# *Driveline Hanger (327-143S)*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG 72257 | Image No. | |
| | 327-143S | DRIVELINE HOLDER W/HARDWARE * | Complete assembly |
| 1 | 802-010C | HHCS 5/16-18X1 1/4 GR5 | |
| 2 | 802-138C | HHCS 5/16-18X2 1/4 GR5 | |
| 3 | 803-177C | NUT HEX FLG TP LK 5/16-18ZNYCR | |
| 4 | 804-036C | WASHER FLAT 5/16 SAE PLT | |
| 5 | 807-350C | SPRING TORSION DRVLN HLDER | |
| 6 | 837-062C | DRIVELINE HOOK | |
| 7 | 837-063C | MOUNT DRIVELINE HOOK | |

# *Gauge Wheel Dual*

Applies to Models: RCR1884



# *Gauge Wheel Dual*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG24769 | Drawing Image Number | |
| 1 | 312-629D | SPACER TUBE 3/4 OD X 2 1/32 | |
| 2 | 312-879H | WELDMENT TAILWHEEL BEAM | S/N 534082+ Changed To 5/8" Dia. Bolt May Require Drilling On Older Units |
| 3 | 326-035H | DUAL TAILWHEEL BRKT. WELDMENT | S/N 534082+ Changed To 5/8" Dia. Bolt May Require Drilling On Older Units |
| 4 | 326-294D | ADJ. BRACKET INNER R.H. | |
| 5 | 326-295D | ADJ. BRACKET INNER L.H. | |
| 6 | 326-296D | ADJ. BRACKET OUTER R.H. | |
| 7 | 326-297D | ADJ. BRACKET OUTER L.H. | |
| 8 | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | |
| 9 | 800-080C | GREASE ZERK 1/4-28 THD FORMING | |
| 10 | 802-041C | HHCS 1/2-13X3 1/2 GR5 | |
| 11 | 802-091C | HHCS 1/2-13X1 1/2 GR5 | |
| 12 | 802-106C | RHSNB 1/2-13X1 1/2 GR5 | |
| 13 | 802-153C | HHCS 5/8-11X3 3/4 GR5 | S/N 534082+ |
| 13 | 802-041C | HHCS 1/2-13X3 1/2 GR5 | S/N 534081- |
| 14 | 842-589C | HHCS 3/4-16X7 1/2 GR5 | |
| 15 | 802-326C | HHCS 1/2-20X1 1/4 GR5 | |
| 16 | 803-024C | NUT LOCK 5/8-11 PLT | S/N 534082+ |
| 16 | 803-169C | NUT HEX FLG LOCK 1/2-13 PLT | S/N 534081- |
| 17 | 803-114C | NUT LOCK 3/4-16 NYLOC COLLAR | |
| 18 | 803-169C | NUT HEX FLG LOCK 1/2-13 PLT | |
| 19 | 803-289C | NUT HEX 1 1/4-7(MACHINED)PLAIN | |
| 20 | 804-015C | WASHER LOCK SPRING 1/2 PLT | |
| 21 | 804-016C | WASHER FLAT 1/2 SAE PLT | |
| 22 | 804-021C | WASHER FLAT 5/8 SAE PLT | S/N 534082+ |
| 23 | 804-066C | WASHER MACH 2.25 X 1.50 X 14GA | |
| 24 | 805-255C | PIN ROLL 3/8 X 2 1/2 PLT | |
| 25 | 814-058C | TIRE & WHEEL LAMINATED 4.0 X 8 | |
| 26 | 814-161C | LAM 4X8 TR-WL-HUB-YOKE 25 SER. | |
| 27 | 815-092C | HUB & SPINDLE ASSY 4 BOLT | |
| 28 | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | |
| 29 | | HUB 4BLT DUCTILE(USE 815-230C) | |
| 30 | 816-286C | OIL SEAL DBL LIP 2.441 BORE | |
| 31 | 822-091C | BRG 1.25ID CONE 15123 | |
| 32 | 822-092C | BRG CUP 2.44OD 15245 | |
| 33 | 827-036C | BUSHING TW 1.25ODX.78IDX5 1/4 | |
| 34 | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | |
| 35 | 890-961C | RC25 TAILWHEEL YOKE, 1.5 SHAFT | |
| 36 | 803-308C | NUT HEX FLG/LK 1/2-20 PLT GR G | |

# *Gauge Wheel Single*

Applies to Models: RCR1884



# *Gauge Wheel Single*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG24768 | Drawing Image Number | |
| 1 | 312-616D | TAILWHEEL ARM ADJUST PLATE | |
| 2 | 312-879H | WELDMENT TAILWHEEL BEAM | S/N 534082+ Changed To 5/8" Dia. Bolt May Require Drilling On Older Units |
| 3 | 326-365D | TAILWHEEL VERT. SUPPORT LH | |
| 4 | 326-366D | TAILWHEEL VERT. SUPPORT RH | |
| 5 | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | |
| 6 | 800-080C | GREASE ZERK 1/4-28 THD FORMING | |
| 7 | 802-106C | RHSNB 1/2-13X1 1/2 GR5 | |
| 8 | 802-153C | HHCS 5/8-11X3 3/4 GR5 | S/N 534082+ |
| 8 | 802-041C | HHCS 1/2-13X3 1/2 GR5 | S/N 534081- |
| 9 | 842-589C | HHCS 3/4-16X7 1/2 GR5 | |
| 10 | 802-326C | HHCS 1/2-20X1 1/4 GR5 | |
| 11 | 803-024C | NUT LOCK 5/8-11 PLT | S/N 534082+ |
| 11 | 803-169C | NUT HEX FLG LOCK 1/2-13 PLT | S/N 534081- |
| 12 | 803-114C | NUT LOCK 3/4-16 NYLOC COLLAR | |
| 13 | 803-169C | NUT HEX FLG LOCK 1/2-13 PLT | |
| 14 | 803-289C | NUT HEX 1 1/4-7(MACHINED)PLAIN | |
| 15 | 804-015C | WASHER LOCK SPRING 1/2 PLT | |
| 16 | 804-016C | WASHER FLAT 1/2 SAE PLT | |
| 17 | 804-021C | WASHER FLAT 5/8 SAE PLT | S/N 534082+ |
| 18 | 804-066C | WASHER MACH 2.25 X 1.50 X 14GA | |
| 19 | 805-255C | PIN ROLL 3/8 X 2 1/2 PLT | |
| 20 | 814-058C | TIRE & WHEEL LAMINATED 4.0 X 8 | |
| 21 | 814-161C | LAM 4X8 TR-WL-HUB-YOKE 25 SER. | |
| 22 | 815-092C | HUB & SPINDLE ASSY 4 BOLT | |
| 23 | 816-286C | OIL SEAL DBL LIP 2.441 BORE | |
| 24 | 822-091C | BRG 1.25ID CONE 15123 | |
| 25 | 822-092C | BRG CUP 2.44OD 15245 | |
| 26 | 827-036C | BUSHING TW 1.25ODX.78IDX5 1/4 | |
| 27 | 890-961C | RC25 TAILWHEEL YOKE, 1.5 SHAFT | |
| 28 | 802-135C | HUB STUD 1/2-20X1 5/8 GR5 | |
| 29 | 803-308C | NUT HEX FLG/LK 1/2-20 PLT GR G | |
| 30 | 815-230C | HUB 4 BLT W/CUPS, ZERK & STUDS | |
| 31 | | HUB 4BLT DUCTILE(USE 815-230C) | |

# *Hitch Components S/N 945302-*

Applies to Models: RCR1884



# *Hitch Components S/N 945302-*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG24762 | Drawing Image Number | |
| 1 | 326-188D | PIN, STOP | |
| 2 | 326-317D | HITCH STRAP | |
| 3 | 326-319D | REAR BRACE | |
| 4 | 326-320D | REAR BRACE HINGE | |
| 5 | 326-329D | SPACER 1 1/4ODX13/16IDX1 5/8 | |
| 6 | 802-053C | HHCS 5/8-11X1 3/4 GR5 FTHD | |
| 7 | 802-192C | HHCS 3/4-10X4 1/2 GR5 | |
| 8 | 802-224C | HHCS 1/4-20X1 1/4 GR5 | S/N 543370+ |
| 9 | 803-180C | NUT HEX 1 1/4-12 PLT TOP LOCK | |
| 10 | 803-181C | NUT HEX FLANGE LOCK 3/4-10 PLT | |
| 11 | 803-255C | NUT HEX NYLOCK 1/4-20 | S/N 543370+ |
| 12 | 803-263C | NUT HEX FLANGE LOCK 5/8-11 PLT | |
| 13 | 804-007C | WASHER FLAT 1/4 SAE PLT | S/N 543370+ |
| 14 | 804-024C | WASHER FLAT 3/4 USS PLT | |
| 15 | 804-039C | WASHER FLAT 1 1/4 SAE PLT | |
| 16 | 804-156C | WASHER MACH 1 1/4X3/4X14GA | |
| 17 | 805-103C | PIN LINCH 7/16 X 1 3/4 | |
| 18 | 805-109C | PIN COTTER 1/8 X 1 1/4 PLT | |
| 19 | 805-388C | PIN HTCH C1-C2 10.68 L | |
| 20 | 816-504C | MANUAL STORAGE CONTAINER | S/N 543370+ |
| 21 | 827-071C | BUSHING STEP 1.25ODX.765IDX.70 | Optional Does Not Come W/ Unit |
| 22 | 326-328D | HITCH MOUNT STUB | Welding Required |

# *Hitch Components S/N 945303+*

Applies to Models: RCR1884



# *Hitch Components S/N 945303+*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG 37985 | Drawing Image Number | |
| 1 | 326-095S | MANUAL CONTAINER KIT, 1 1/4 | |
| 2 | 326-389H | LH UPPER HITCH STRAP WLDMT | |
| 3 | 326-390H | RH UPPER HITCH STRAP WLDMT | |
| 4 | 326-546D | BSH 1.12ODX.69IDX.55L | |
| 5 | 326-574D | REAR BRACE 84 | |
| 6 | 327-143S | DRIVELINE HOLDER W/HARDWARE | |
| 7 | 327-781D | SHIELD UPPER RH W/1"HOLE | S/N 1315597+ Include decal 858-148C see decal placement |
| 8 | 327-782D | SHIELD UPPER LH W/1" HOLE | S/N 1315597+ Include decal 858-148C see decal placement |
| 9 | 802-053C | HHCS 5/8-11X1 3/4 GR5 FTHD | |
| 10 | 802-055C | HHCS 5/8-11X2 GR5 | |
| 11 | 802-192C | HHCS 3/4-10X4 1/2 GR5 | |
| 12 | 803-026C | NUT LOCK 3/4-10 PLT | |
| 12 | 803-077C | RPBY 803-026C | Obsolete (S/N 979509+) |
| 12 | 803-181C | NUT HEX FLANGE LOCK 3/4-10 PLT | S/N 979508- |
| 13 | 803-148C | NUT HEX NYLOCK 5/8-11 PLT | |
| 14 | 803-263C | NUT HEX FLANGE LOCK 5/8-11 PLT | |
| 15 | 804-019C | WASHER FLAT 5/8 USS PLT | |
| 16 | 805-088C | PIN, HAIR COTTER 3/16 WIRE DIA | |
| 17 | 805-124C | PIN CLVS 1.0X3.69 USBL GR5 | |
| 18 | 805-485C | PIN HTCH C1-C2 11.36 L | |
| 19 | 812-500C | FLOAT TOP HITCH CAST DUCTILE | |
| 20 | 827-071C | BUSHING STEP 1.25ODX.765IDX.70 | Optional Does Not Come W/ Unit |

# *Manual Tube*

Applies to Models: RCR1884



# *Manual Tube*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG 39163 | Image No. | |
| | 326-095S | MANUAL CONTAINER KIT, 1 1/4 * | Complete assembly |
| 1 | 802-224C | HHCS 1/4-20X1 1/4 GR5 | |
| 2 | 803-255C | NUT HEX NYLOCK 1/4-20 | |
| 3 | 804-007C | WASHER FLAT 1/4 SAE PLT | |
| 4 | 816-504C | MANUAL STORAGE CONTAINER | |

# *Blade Drive*

Applies to Models: RCR1884



# *Blade Drive*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG 24763 | Drawing Image Number | |
| 1 | 8.2.2.00555 | CO NUT, CASTLE M30 X 2 | |
| 2 | 8.4.7.00146 | COTTER PIN B6 X 60 | |
| 3 | 0.139.7101.00 | CO BLANK WASHER | |
| 4 | 312-075D | BLADE SPACER 16 GA | As Required S/N 776426- |
| 4 | 312-082D | RPBY 312-808D QTY 2 | As Required S/N 776426- |
| 4 | 312-089D | BLADE SPACER 20 GA. | As Required S/N 776426- |
| 4 | 312-808D | BLADE SPACER 24GA | As Required S/N 776426- |
| 5 | 312-388H | 38OVL DSHPN WMT27C/C OMNI2.8OS | |
| 6 | | RCR1884 BLADE CARRIER ASSY | |
| 8 | 802-065C | HHCS 3/4-10X2 1/4 GR5 | S/N 558465+ |
| 8 | 802-064C | HHCS 3/4-10X2 GR5 | S/N 558464- |
| 9 | 802-277C | BLD BLT 1 1/8-12X3.44 W/.25KEY | |
| 10 | 803-170C | NUT HEX TOP LOCK 1 1/8-12 PLT | |
| 11 | 803-299C | NUT HEX FLG TOP LK 3/4-10 PLT | |
| 12 | 804-009C | WASHER LOCK SPRING 5/16 PLT | |
| 13 | 804-010C | WASHER FLAT 5/16 USS PLT | |
| 14 | 804-147C | WASHER FLAT 1" HARDENED | |
| 15 | 820-138C | CUTTER BLADE 1/2X4X31 CCW | |
| 16 | 826-376C | GBOX RC25 1.38-6 1:1.44 STD. | |
| 17 | 826-490C | COMER U0.210.7100.00 DIPSTICK | |
| 18 | 826-510C | DRVLN C4 48 1.38-6 QD CLTCH | |
| 19 | 837-101C | LAND PRIDE CONE | |
| 19 | 826-648C | LARGE SHAFT CONE W ACCESS DOOR | Replaced with 837-101C |
| 20 | 840-273C | PLUG LP 3" ID RUBBER | |
| 21 | 842-243C | HHCS M8X1.25X20 GR8.8 THD-LCK | |
| 21 | 802-314C | HHCS M8X1.25X20 GR8.8 | |
| 22 | 318-586A | BLADE BOLT KIT | Item 4 not included |

# *Driveline w/ 2 Plate Slip Clutch (826-510C)*

Applies to Models: RCR1884



# *Driveline w/ 2 Plate Slip Clutch (826-510C)*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG24771 | Drawing Image Number | |
| | 826-510C | DRVLN C4 48 1.38-6 QD CLTCH * | |
| 1 | 141.025.363.1 | CO COMPLETE COLLAR YOKE C12 | |
| 2 | 180.015.130 | COMER CROSS JOURNAL SET | |
| 3 | 152.150.2140710 | CO COMPLETE OUTER TUBE | |
| 4 | 153.150.114 | CO INNER TUBE | |
| 5 | 142.250.3707521 | CO COMP. GUARD W/INST. MANUAL | |
| 6 | 180.019.340 | COMER LINING RING | |
| 6 | 180.019.018 | RPBY 180.019.340 | Obsolete |
| 7 | 165.000.502 | COMER NUT & BOLT M12X1.25X65 | |
| 8 | 123.350.175.11 | CO HALF FEMALE SHAFT W/GUARD | S/N 605650+ |
| 8 | 826-510C | DRVLN C4 48 1.38-6 QD CLTCH | S/N 605649- (Complete Driveline) |
| 9 | 8123.450.326.11 | CO HALF MALE SHAFT W/GUARD | S/N 605650+ |
| 9 | 826-510C | DRVLN C4 48 1.38-6 QD CLTCH | S/N 605649- (Complete Driveline) |
| 10 | 165.000.628 | COMER COLLAR KIT 1 3/8 YOKE | |
| 11 | 151.015.038.1 | CO FLANGED YOKE | |
| 12 | 180.019.019 | COMER BUSH | |
| 13 | 146.252.011.1 | CO COMPLETE DISC CLUTCH F22 | |
| 13 | 151.018.018.1 | RPBY 146.252.011.1 | Obsolete |
| 14 | 180.019.014 | COMER INNER PLATE | |
| 15 | 180.019.116.1 | COMER PRESSURE PLATE | |
| 16 | 165.000.549 | CO BOLT M10X85 & NUT | |
| 17 | 180.019.017 | CO SPRING | |
| 18 | 190.000.016 | COMER ROLL PIN, INNER TUBE | |
| 19 | 190.000.394 | COMER ROLL PIN FOR INNER TUBE | |
| 20 | 151.015.011 | COMER OUTER YOKE | |
| 20 | 151.015.011.1 | RPBY 151.015.011 | Obsolete |
| 21 | 151.015.012.1 | CO INNER YOKE | |
| 22 | 180.015.289 | CO GUARD RETAIN. COLLAR I.T. | |
| 23 | 044321 | DRIVELINE SHIELD SAFETY CHAIN | S/N 928934- |
| 24 | 180.015.288 | CO GUARD RETAIN. COLLAR O.T. | |
| 25 | 190.000.099 | COMER DANGER LABEL GUARD OUTER | |
| 26 | 190.000.098 | COMER DANGER LABEL OUTER TUBE | |
| 27 | 146.252.011.1 | CO COMPLETE DISC CLUTCH F22 | |
| 28 | 180.014.240 | COMER BOLT | |
| 28 | 8180.014.240 | RPBY 180.014.240 | Obsolete |

# *Driveline w/ 4 Plate Slip Clutch (826-510C)*

Applies to Models: RCR1884



# *Driveline w/ 4 Plate Slip Clutch (826-510C)*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG 72993 | Image No. | |
| | 826-510C | DRVLN C4 48 1.38-6 QD CLTCH * | |
| 1 | 141.025.363.1 | CO COMPLETE COLLAR YOKE C12 | |
| 2 | 180.015.130 | COMER CROSS JOURNAL SET | |
| 3 | | COMER OUTER YOKE | |
| 4 | | COMER ROLL PIN, INNER TUBE | |
| 5 | | CO COMPLETE OUTER TUBE | |
| 6 | | CO INNER TUBE | |
| 7 | | COMER ROLL PIN FOR INNER TUBE | |
| 8 | | CO INNER YOKE | |
| 9 | 146.254.015.11 | CO DISC CLUTCH F42 (11350 NM) | |
| 10 | 180.015.288 | CO GUARD RETAIN. COLLAR O.T. | |
| 11 | 180.014.240 | COMER BOLT | |
| 12 | 180.015.289 | CO GUARD RETAIN. COLLAR I.T. | |
| 13 | 142.250.3707521 | CO COMP. GUARD W/INST. MANUAL | |
| 14 | 180.014.022 | COMER SPRING | |
| 15 | 151.015.038.1 | CO FLANGED YOKE | |
| 16 | 180.019.019 | COMER BUSH | |
| 17 | 180.019.340 | COMER LINING RING | |
| 18 | 165.000.502 | COMER NUT & BOLT M12X1.25X65 | |
| 19 | 151.019.011.1 | CO CLUTCH SUPPORT F42 | |
| 20 | 180.019.014 | COMER INNER PLATE | |
| 21 | 180.019.115 | COMER INTERMEDIATE PLATE | |
| 22 | 180.019.116.1 | COMER PRESSURE PLATE | |
| 23 | 165.000.548 | COMER BOLT WITH NUT M10X100 | |
| 24 | 8123.350.175.11 | CO HALF FEMALE SFT W/GUARDING | |
| 25 | 8123.450.326.11 | CO HALF MALE SHAFT W/GUARD | |
| 26 | 190.000.098 | COMER DANGER LABEL OUTER TUBE | |
| 27 | 190.000.099 | COMER DANGER LABEL GUARD OUTER | |
| 28 | 165.000.628 | COMER COLLAR KIT 1 3/8 YOKE | |
| 29 | 190.000.856 | CO LABEL W/ CUSTOMER CODE | |
| 30 | 190.000.451 | COMER OUTER CIRCLIP | |
| 31 | 151.016.486 | COMER SLIDING SLEEVE COLLER | |
| 32 | 180.016.487 | COMER SPRING | |
| 33 | 180.016.483 | COMER FIXED SLEEVE | |
| 34 | 190.000.078 | COMER BALL 1/2" | |

# *Gearbox (826-376C) Comer*

Applies to Models: RCR1884



# *Gearbox (826-376C) Comer*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG 21186 | Drawing Image Number | |
| | 826-376C | GBOX RC25 1.38-6 1:1.44 STD. * | Complete assembly |
| 1 | 0.210.2000.00 | CO INPUT SHAFT 1.38-6 | |
| 2 | 8.7.1.02348 | CO DUST LIP (45X85X10) | |
| 2 | 8.7.3.00331 | RPBY 8.7.1.02348 | Obsolete |
| 3 | 8.5.2.00332 | CO SNAP RING UNI 7437 | |
| 4 | A.709.500 | COMER SHIM KIT | |
| 4 | 0.709.7500.00 | RPBY A.709.500 | Obsolete |
| 5 | 8.0.9.00143 | CO BRG 30209 TAPERED | |
| 6 | 8.1.1.00501 | CO BOLT M10X22 HHB | |
| 7 | 2.210.5002.00 | CO BEVEL GEAR SET M6 | |
| 7 | 0.210.6001.00 | RPBY 2.210.5002.00 | Obsolete |
| 8 | 8.5.1.00533 | CO SNAP RING 50 UNI7435 | |
| 9 | 826-490C | COMER U0.210.7100.00 DIPSTICK | |
| 9 | 0.210.7100.00 | RPBY 826-490C | Obsolete |
| 10 | 0.210.1300.00 | CO COVER | |
| 11 | 0.252.7525.00 | CO SHIM 45.3X2.5 | |
| 12 | 0.121.7101.00 | CO CAP | |
| 13 | 8.6.6.00201 | CO PLUG 3/8 (SOLID PLUG) | |
| 14 | 8.4.7.02265 | CO COTTER PIN B 5X60 | |
| 15 | 0.132.7106.00 | CO NUT M30 X 1.5 | |
| 16 | 2.210.5002.00 | CO BEVEL GEAR SET M6 | |
| 16 | 0.210.5001.00 | RPBY 2.210.5002.00 | Obsolete |
| 17 | A.712.500 | COMER SHIM KIT | |
| 17 | 0.712.7500.00 | RPBY A.712.500 | Obsolete |
| 18 | 822-214C | BRG CUP/CONE SET 30210 | Includes bearing and race |
| 18 | 04-011 | RPBY 822-214C | (Obsolete) Includes bearing and race |
| 19 | 0.210.0300.00 | CO CASTING & MACHINE | |
| 20 | 8.7.1.01107 | CO SEAL (50X90X10) | |
| 21 | 0.139.7100.00 | CO SEAL RETAINER | |
| 22 | 0.210.3001.00 | CO OUTPUT SHAFT | |
| 23 | 0.139.7101.00 | CO BLANK WASHER | |
| 24 | 8.2.2.00555 | CO NUT, CASTLE M30 X 2 | |
| 25 | 8.4.7.00146 | COTTER PIN B6 X 60 * | |
| | | Notes: Oil Type 80-90W Capacity 6.5 Pints | |

# *Guard Chain Rear*

Applies to Models: RCR1884



# *Guard Chain Rear*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG 24766 | Drawing Image Number | |
| | 312-872A | REAR CHAIN GUARD ASSEMBLY * | |
| 1 | 312-873K | 1884 LH REAR CHN GUARD ASSY | |
| 2 | 312-874K | 1884 RH REAR CHN GUARD ASSY | |
| 3 | 312-875K | 1884 CTR REAR CHN GUARD ASSY | |
| 4 | 326-099D | ROUND ROD 1/4 X 32 | |
| 4 | 312-891D | RPBY 326-099D | Obsolete |
| 5 | 318-141D | ROUND ROD 1/4 X 19 | |
| 5 | 318-142D | ROUND ROD 1/4 X 21 | |
| 5 | 318-618D | RPBY 318-142D | Obsolete |
| 6 | 326-324D | REAR CTR CHAIN GUARD | |
| 7 | 326-325D | REAR RH CHAIN GUARD | |
| 8 | 326-326D | REAR LH CHAIN GUARD | |
| 9 | 802-214C | RHSNB 1/2-13X1 1/4 GR5 | |
| 10 | 803-037C | NUT HEX WHIZ 1/2-13 PLT GR5 | |
| 11 | 890-400C | CHAIN WELD 5/16 GR 43 X 4 LINK | |

# *Guard Chain Single Front*

Applies to Models: RCR1884



# *Guard Chain Single Front*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG24764 | Drawing Image Number | |
| | 312-869A | FRONT CHAIN GUARD ASSEMBLY * | |
| 1 | 326-548D | ROUND ROD 1/4 X 44 3/4 | |
| 1 | 312-737D | RPBY 326-548D | Obsolete |
| 2 | 312-870K | FRONT CHAIN GUARD ASSY | |
| 3 | 318-337D | ROUND ROD 1/4 X 25 | |
| 4 | 326-034K | SIDE CHAIN GUARD ASSY | |
| 5 | 326-323D | FRONT CHAIN GUARD | |
| 6 | 326-362D | SIDE CHAIN GUARD | |
| 7 | 802-015C | RHSNB 3/8-16X1 GR5 | |
| 8 | 803-198C | NUT HEX WHIZ 3/8-16 PLT | |
| 9 | 890-400C | CHAIN WELD 5/16 GR 43 X 4 LINK | |

# *Guard Rubber Front*

Applies to Models: RCR1884



# *Guard Rubber Front*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG24765 | Drawing Image Number | |
| | 312-866A | 84 FRONT RUBBER COMPLETE * | |
| 1 | 312-867K | FRONT RUBBER DEFLECTOR ASSY | |
| 2 | 326-033K | SIDE RUBBER DEFLECTOR ASSY | |
| 3 | 326-321D | FRONT DEFLECTOR BRACKET | |
| 4 | 326-322D | DEFLECTOR SUPPORT FLAT | |
| 5 | 326-360D | SIDE DEFLECTOR BRACKET | |
| 6 | 326-361D | SIDE DEFLECTOR SUPPORT FLAT | |
| 7 | 802-015C | RHSNB 3/8-16X1 GR5 | |
| 8 | 803-198C | NUT HEX WHIZ 3/8-16 PLT | |
| 9 | 816-526C | RUBBER DEFLECTOR | |
| 10 | 816-538C | SIDE RUBBER DEFLECTOR | |

# *Skid Shoe Kit*

Applies to Models: RCR1884



# *Skid Shoe Kit*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG25895 | Drawing Image Number | |
| | 326-120A | SKID SHOE KIT<br>* | RCR1884 (S/N 563801+) |
| 1 | 326-221D | SKID SHOE | |
| 2 | 802-603C | PLOW 3/8-16X1 GR5 | |
| 3 | 803-198C | NUT HEX WHIZ 3/8-16 PLT | |

# *Decal Placement*

Applies to Models: RCR1884



# *Decal Placement*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG 24770 | Drawing Image Number | |
| 1 | 818-130C | DECAL WARNING 540 RPM | |
| 2 | 818-142C | DECAL DANGER PTO DRIVELINE EN | |
| 3 | | | |
| 4 | 838-614C | DECAL REFLECTOR RED 2X9 | S/N 813017+ |
| 4 | 818-230C | DECAL RED REFLECTOR | S/N 813016- |
| 5 | 818-543C | DECAL DANGER PD GUARD MISS SML | |
| 6 | 818-543C | DECAL DANGER PD GUARD MISS SML | |
| 7 | 818-556C | DECAL DANGER THROWN OBJ CUTTER | |
| 8 | 818-555C | DECAL DANGER ROTATE BLADE | |
| 8 | 818-564C | RPBY 818-555C | Obsolete |
| 9 | 818-830C | DECAL SAFETY COMBO SUNWEST | S/N 1538230- |
| 9 | 844-190C | DECAL SINGLE DECK SAFETY COMBO | S/N 1538231+ |
| 10 | 838-965C | DECAL LANDPRIDE 16" BROWN/GOLD | Orange, Red & Green Unit |
| 10 | 818-903C | RPBY 838-965C | (Obsolete) Beige Unit |
| 11 | 838-517C | DECAL QUICK HITCH SYSTEM | |
| 12 | 838-895C | DECAL RCR1884-GOLD | |
| 12 | 848-121C | RPBY 838-895C | Obsolete |
| 13 | | DECAL. PROP65 VINYL | Removed on Single deck cutters |
| 14 | 858-148C | DECAL PIC--PINCH POINT | S/N 1315597+ |

# *Land Pride Touch-up Paints*

Applies to Models: RCR1884



# *Land Pride Touch-up Paints*

Applies to Models: RCR1884

| Ref. | Part No. | Part Description | Comments |
|---|---|---|---|
| | DWG 76585 | Image No. | |
| | | * | |
| | | Beige | |
| | 821-011C | PAINT LP BEIGE SPRAY CAN | Beige spray can |
| | 821-011CTU | PAINT LP BEIGE TOUCH-UP 4OZ | Beige touch-up bottle with brush |
| | 821-011CQT | PAINT LP BEIGE QUART | Beige quart can |
| | 821-011CGL | PAINT LP BEIGE GALLON | Beige gallon can |
| | | * | |
| | | Orange | |
| | 821-066C | PAINT ORANGE SPRAY CAN | Orange spray can |
| | 821-066CTU | PAINT ORANGE TOUCH-UP 4OZ | Orange touch-up bottle with brush |
| | 821-066CQT | PAINT ORANGE QUART | Orange quart can |
| | 821-066CGL | PAINT ORANGE GALLON | Orange gallon can |
| | | * | |
| | | Black | |
| | 821-070C | PAINT GP GLOSS BLACK SPRAY CAN | Black spray can |
| | 821-070CTU | PAINT GLOSS BLACK TOUCH-UP 4OZ | Black touch-up bottle with brush |
| | 821-070CQT | PAINT GP GLOSS BLACK QUART | Black quart can |
| | 821-070CGL | PAINT GP GLOSS BLACK GALLON | Black gallon can |
| | | * | |
| | | Red | |
| | 821-054C | PAINT MED. RED SPRAY TRCK/CTR | Red spray can |
| | 821-054CTU | PAINT MED RED TOUCH-UP 4OZ | Red touch-up bottle with brush |
| | 821-054CQT | PAINT MED RED QUART | Red quart can |
| | 821-054CGL | PAINT MED RED GALLON | Red gallon can |
| | | * | |
| | | Green | |
| | 821-058C | PAINT GREEN SPRAY CUTTERS | Green spray can |
| | 821-058CTU | PAINT GREEN TOUCH-UP 4OZ | Green touch-up bottle with brush |
| | 821-058CQT | PAINT GREEN QUART | Green quart can |
| | 821-058CGL | PAINT GREEN GALLON | Green gallon can |
| | | * | |
| | | Blue | |
| | 821-067C | PAINT BLUE SPRAY CAN | Blue spray can |
| | 821-067CTU | PAINT BLUE TOUCH-UP 5OZ | Blue touch-up bottle with brush |
| | 821-067CQT | PAINT BLUE QUART | Blue quart can |
| | 821-067CGL | PAINT BLUE GALLON | Blue gallon can |
| | | * | |
| | | Aluminum/Zinc | |
| | 821-080C | PAINT ALUMINUM/ZINC SPRAY CAN | Aluminum/Zinc spray can |
| | 821-080CTU | PAINT ALUMINUM/ZINC TOUCH UP | Aluminum/Zinc touch-up bottle with brush |
| | 821-080CQT | PAINT ALUMINUM/ZINC QUART | Aluminum/Zinc quart can |
| | 821-080CGL | PAINT ALUMINUM/ZINC GALLON | Aluminum/Zinc gallon can |

# Part Number Index


| Part Number | Page |
|---|---|
| 0.121.7101.00 | 25 |
| 0.132.7106.00 | 25 |
| 0.139.7100.00 | 25 |
| 0.139.7101.00 | 19, 25 |
| 0.210.0300.00 | 25 |
| 0.210.1300.00 | 25 |
| 0.210.2000.00 | 25 |
| 0.210.3001.00 | 25 |
| 0.210.5001.00 | 25 |
| 0.210.6001.00 | 25 |
| 0.210.7100.00 | 25 |
| 0.252.7525.00 | 25 |
| 0.709.7500.00 | 25 |
| 0.712.7500.00 | 25 |
| 04-011 | 25 |
| 044321 | 21 |
| 123.350.175.11 | 21 |
| 141.025.363.1 | 21, 23 |
| 142.250.3707521 | 21, 23 |
| 146.252.011.1 | 21 |
| 146.254.015.11 | 23 |
| 151.015.011 | 21 |
| 151.015.011.1 | 21 |
| 151.015.012.1 | 21 |
| 151.015.038.1 | 21, 23 |
| 151.016.486 | 23 |
| 151.018.018.1 | 21 |
| 151.019.011.1 | 23 |
| 152.150.2140710 | 21 |
| 153.150.114 | 21 |
| 165.000.502 | 21, 23 |
| 165.000.548 | 23 |
| 165.000.549 | 21 |
| 165.000.628 | 21, 23 |
| 180.014.022 | 23 |
| 180.014.240 | 21, 23 |
| 180.015.130 | 21, 23 |
| 180.015.288 | 21, 23 |
| 180.015.289 | 21, 23 |
| 180.016.483 | 23 |
| 180.016.487 | 23 |
| 180.019.014 | 21, 23 |
| 180.019.017 | 21 |
| 180.019.018 | 21 |
| 180.019.019 | 21, 23 |
| 180.019.115 | 23 |
| 180.019.116.1 | 21, 23 |
| 180.019.340 | 21, 23 |
| 190.000.016 | 21 |
| 190.000.078 | 23 |
| 190.000.098 | 21, 23 |
| 190.000.099 | 21, 23 |
| 190.000.394 | 21 |
| 190.000.451 | 23 |
| 190.000.856 | 23 |
| 2.210.5002.00 | 25 |
| 312-075D | 19 |
| 312-082D | 19 |
| 312-089D | 19 |
| 312-388H | 19 |
| 312-616D | 11 |
| 312-629D | 9 |
| 312-737D | 29 |
| 312-808D | 19 |
| 312-866A | 31 |
| 312-867K | 31 |
| 312-869A | 29 |
| 312-870K | 29 |
| 312-872A | 27 |
| 312-873K | 27 |
| 312-874K | 27 |
| 312-875K | 27 |
| 312-879H | 9, 11 |
| 312-891D | 27 |
| 318-141D | 27 |
| 318-142D | 27 |
| 318-337D | 29 |
| 318-586A | 19 |
| 318-618D | 27 |
| 326-019H | 5 |
| 326-019H81 | 5 |
| 326-019H82 | 5 |
| 326-019H83 | 5 |
| 326-033K | 31 |
| 326-034K | 29 |
| 326-035H | 9 |
| 326-095S | 15, 17 |
| 326-099D | 27 |
| 326-120A | 33 |
| 326-188D | 13 |
| 326-221D | 33 |
| 326-294D | 9 |
| 326-295D | 9 |
| 326-296D | 9 |
| 326-297D | 9 |
| 326-317D | 13 |
| 326-319D | 13 |
| 326-320D | 13 |
| 326-321D | 31 |
| 326-322D | 31 |
| 326-323D | 29 |
| 326-324D | 27 |
| 326-325D | 27 |
| 326-326D | 27 |
| 326-327D | 5 |
| 326-328D | 13 |
| 326-329D | 13 |
| 326-360D | 31 |
| 326-361D | 31 |
| 326-362D | 29 |
| 326-365D | 11 |
| 326-366D | 11 |
| 326-389H | 15 |
| 326-390H | 15 |
| 326-546D | 15 |
| 326-548D | 29 |
| 326-574D | 15 |
| 327-143S | 7, 15 |
| 327-781D | 15 |
| 327-782D | 15 |
| 8.0.9.00143 | 25 |
| 8.1.1.00501 | 25 |
| 8.2.2.00555 | 19, 25 |
| 8.4.7.00146 | 19, 25 |
| 8.4.7.02265 | 25 |
| 8.5.1.00533 | 25 |
| 8.5.2.00332 | 25 |
| 8.6.6.00201 | 25 |
| 8.7.1.01107 | 25 |
| 8.7.1.02348 | 25 |
| 8.7.3.00331 | 25 |
| 800-001C | 9, 11 |
| 800-080C | 9, 11 |
| 802-010C | 7 |
| 802-015C | 29, 31 |
| 802-041C | 9, 11 |
| 802-053C | 13, 15 |
| 802-055C | 15 |
| 802-064C | 19 |
| 802-065C | 19 |
| 802-091C | 9 |
| 802-106C | 9, 11 |
| 802-135C | 9, 11 |
| 802-138C | 7 |
| 802-153C | 9, 11 |
| 802-183C | 5 |
| 802-192C | 13, 15 |
| 802-214C | 27 |
| 802-224C | 13, 17 |
| 802-277C | 19 |
| 802-314C | 19 |
| 802-326C | 9, 11 |
| 802-603C | 33 |

| Part Number | Page |
|---|---|
| 803-024C | 9, 11 |
| 803-026C | 15 |
| 803-037C | 5, 27 |
| 803-077C | 15 |
| 803-114C | 9, 11 |
| 803-148C | 15 |
| 803-169C | 9, 11 |
| 803-170C | 19 |
| 803-177C | 7 |
| 803-180C | 13 |
| 803-181C | 13, 15 |
| 803-198C | 29, 31, 33 |
| 803-255C | 13, 17 |
| 803-263C | 13, 15 |
| 803-289C | 9, 11 |
| 803-299C | 19 |
| 803-308C | 9, 11 |
| 804-007C | 13, 17 |
| 804-009C | 19 |
| 804-010C | 19 |
| 804-015C | 9, 11 |
| 804-016C | 9, 11 |
| 804-019C | 15 |
| 804-021C | 9, 11 |
| 804-024C | 13 |
| 804-036C | 7 |
| 804-039C | 13 |
| 804-066C | 9, 11 |
| 804-147C | 19 |
| 804-156C | 13 |
| 805-088C | 15 |
| 805-103C | 13 |
| 805-109C | 13 |
| 805-124C | 15 |
| 805-255C | 9, 11 |
| 805-388C | 13 |
| 805-485C | 15 |
| 807-350C | 7 |
| 8123.350.175.11 | 23 |
| 8123.450.326.11 | 21, 23 |
| 812-500C | 15 |
| 814-058C | 9, 11 |
| 814-161C | 9, 11 |
| 815-092C | 9, 11 |
| 815-230C | 9, 11 |
| 816-286C | 9, 11 |
| 816-504C | 13, 17 |
| 816-526C | 31 |
| 816-538C | 31 |
| 8180.014.240 | 21 |

| Part Number | Page |
|---|---|
| 818-130C | 35 |
| 818-142C | 35 |
| 818-230C | 35 |
| 818-543C | 35 |
| 818-555C | 35 |
| 818-556C | 35 |
| 818-564C | 35 |
| 818-830C | 35 |
| 818-903C | 35 |
| 820-138C | 19 |
| 821-011C | 37 |
| 821-011CGL | 37 |
| 821-011CQT | 37 |
| 821-011CTU | 37 |
| 821-054C | 37 |
| 821-054CGL | 37 |
| 821-054CQT | 37 |
| 821-054CTU | 37 |
| 821-058C | 37 |
| 821-058CGL | 37 |
| 821-058CQT | 37 |
| 821-058CTU | 37 |
| 821-066C | 37 |
| 821-066CGL | 37 |
| 821-066CQT | 37 |
| 821-066CTU | 37 |
| 821-067C | 37 |
| 821-067CGL | 37 |
| 821-067CQT | 37 |
| 821-067CTU | 37 |
| 821-070C | 37 |
| 821-070CGL | 37 |
| 821-070CQT | 37 |
| 821-070CTU | 37 |
| 821-080C | 37 |
| 821-080CGL | 37 |
| 821-080CQT | 37 |
| 821-080CTU | 37 |
| 822-091C | 9, 11 |
| 822-092C | 9, 11 |
| 822-214C | 25 |
| 826-376C | 19, 25 |
| 826-490C | 19, 25 |
| 826-510C | 19, 21, 23 |
| 826-648C | 19 |
| 827-036C | 9, 11 |
| 827-071C | 13, 15 |
| 837-062C | 7 |
| 837-063C | 7 |
| 837-101C | 19 |

| Part Number | Page |
|---|---|
| 838-517C | 35 |
| 838-614C | 35 |
| 838-895C | 35 |
| 838-965C | 35 |
| 840-273C | 19 |
| 842-243C | 19 |
| 842-589C | 9, 11 |
| 844-190C | 35 |
| 848-121C | 35 |
| 858-148C | 35 |
| 890-400C | 27, 29 |
| 890-961C | 9, 11 |
| A.709.500 | 25 |
| A.712.500 | 25 |
| DWG 21186 | 25 |
| DWG 24763 | 19 |
| DWG 24766 | 27 |
| DWG 24770 | 35 |
| DWG 37985 | 15 |
| DWG 39163 | 17 |
| DWG 72257 | 7 |
| DWG 72993 | 23 |
| DWG 76585 | 37 |
| DWG24761 | 5 |
| DWG24762 | 13 |
| DWG24764 | 29 |
| DWG24765 | 31 |
| DWG24768 | 11 |
| DWG24769 | 9 |
| DWG24771 | 21 |
| DWG25895 | 33 |

Great Plains Manufacturing, Inc.
Corporate Office: P.O. Box 5060
Salina, Kansas 67402-5060 USA

www.landpride.com